



3635
112119
11/19/03
TAL

Application Number: 10/084, 072

Group Art Unit Number: 3635

Filing date: 02/27/2002

Name of the examiner who prepared
the most recent office action;

Mr. MCDERMOTT, KEVIN

Title of invention;

SUPPORT STRUCTURE FOR ISOLATING
EARTHQUAKE MOTIONS

RECEIVED
NOV 14 2003
GROUP 3600

To the Commissioner for Patents;

I hereby certify that this correspondence is
being deposited with the United States Postal
Service through Japanese Postal Office as first
class mail in an envelope addressed to;

Assistant Commissioner for Patents,
P. O. Box. 1450
Alexandria, VA 22313-1450

on October 27, 2003.

Name of Applicant: Kiichi Yatani

Applicant's Signature: Kiichi Yatani

Date: October 27, 2003.



(2)

Application Number; 10/084, 072

Group Art Unit Number; 3635

Filing date; 02/27/2002

Name of the examiner who prepared
the most recent office action;

Mr. MCDERMOTT, KEVIN

Title of invention;

SUPPORT STRUCTURE FOR ISOLATING
EARTHQUAKE MOTIONS

STATEMENT

RECEIVED
NOV 14 2003
GROUP 3600

Dear Sir;

Following my draft amendment to my original
Specification and Claims presented at the
beginning of October this year, let me present
the STATEMENT which set forth my comment on the
differences between my device on SUPPORT
STRUCTURE FOR ISOLATING EARTHQUAKE MOTIONS and
Mr. Gregory R. Brotz' s DAMPENABLE BEARING (Pat.
No. ; 6, 116, 782).

Pat. No ; 6, 116, 782.	My Invention. APPL. NO. 29/170,569
There must be friction between pressure receiving support bearings each other.	There is no friction between large steel balls and small steel balls.

Application Number; 10/084, 072

Group Art Unit Number; 3635

Filing date; 02/27/2002

Name of the examiner who prepared
the most recent office action;

Mr. MCDERMOTT, KEVIN

Title of invention;

SUPPORT STRUCTURE FOR ISOLATIONG
EARTHQUAKE MOTIONS

RECEIVED

NOV 14 2003

GROUP 3600

There is no free movement of bearings to prevent confriect of bearings.	A device to roll pressure-receiving steel balls to prevent generating of energy.
Objects of propagating energy generation are constructions.	There are no confrictions between large steel balls and small steel balls , hence free propagating movement of said balls is prevailed.
Propagaing movements can not be prevented since friction power is generated at partition board to prevent ball confricts.	There is no objects to prevent propagating movements of pressure-receiving large balls
The propagating movements can be occured by M.8 earthquake.	Propagating movements distance between a column (foundation hoop and foundation pressure-receiving concrete board) is 80cm plus 80cm ,hence spherically curved surface has a power of shockabsorbing.

Date; October 27, 2003Applicant; Kiichi YataniSignature; Kiichi Yatani